



**Full Catalog  
Volume 1**

- \* Replacement Parts**
- \* PVC Inflatable Repairs**
- \* Inflatable SUP Repairs**
- \* Refurbishments**
- \* Supplies**
- \* Global Services**



**Turn to page 9 for Deep Cleaning Results**

**We Fix Fun!**



Sealed Air Repairs mission is to provide the highest and most professional level of service to the sealed air PVC inflatable industry. This includes offering timely repair services, as well as a vast inventory of over 5,000 in-stock parts that can be shipped anywhere in the world for most major PVC sealed air inflatable brands.



#### Company:

- Professional Service
- Uniformed Personnel
- Licensed and Insured
- 1000's of In-Stock Parts

#### Experts in:

- PVC Repairs
- Drop Stitch Repairs
- Custom Design

#### Markets Served:

- Yachts
- Camps
- Resorts
- Inflatable SUP's
- Touring Entertainment

Sealed Air Repairs, Inc.  
8600 Commodity Circle, Suite 160  
Orlando, FL 32819 USA  
+1-321-505-1512





Sealed Air Repairs (SAR) hails from over 25 years of commercial inflatable manufacturing experience, with 16 of those years working directly in Chinese inflatable factories. They have also traveled to dozens of countries with inflatable projects of all types. SAR technicians are very established experts in the commercial inflatable industry.

SAR prides themselves on giving a professional image to their clients while providing them with top level expert service. From their professionally wrapped, properly licensed and insured vehicles, to their uniformed technicians, no details go unnoticed.



SAR also has a fully stocked shop with over 5,000 parts of all types and all of the latest tools needed to perform any repairs they encounter.

## ***We Fix Fun!***

The skilled technicians of Sealed Air Repairs travel the globe as needed to fix high end Inflatables on mega-yachts and professional touring entertainment events. Ask how they can help you. From Australia, to Asia, to Europe, multiple Carribean Islands and other stops in between, SAR is the go-to source to solve your PVC sealed air inflatable maintenance issues.



Athens, Greece



Shanghai, China



Tokyo, Japan



Nassau, Bahamas



Melbourne and Sydney, Australia



La Ciotat, France





## Case Study:

Nitro Circus is a world class motorcycle stunt show that tours globally. SAR was engaged to meet the show at the Tokyo Dome in Tokyo, Japan to perform maintenance on the inflatable landers prior to the kick off of their 2017 World Tour.



The repairs involved fixing substantial damage from a forklift that was driven into the side of the unit and pierced several layers of vinyl. SAR fixed it on-site and the show went on!

SAR technicians also checked the inflatables and fixed all leaks and other issues from the previous tour.

## SAR travels to your:

- Yachts
- Resorts
- Campgrounds
- Touring Events
- and more!






Co-Designer Rod Hoy

Kirin Themed Slide

Sealed Air Repairs founder has over 25 years experience designing and manufacturing many incredible custom inflatable products. 16 of those years were spent in China working directly in the factories. As the technology of sealed air products continues to improve, and the applications for sealed air products continue to grow, SAR is uniquely qualified to help design and fabricate your product. Their knowledge is vast and their references are deep.

*"The amount of rapid progress our project is able to undergo with the consulting help of Mark's professional contacts, industry knowledge, overall understanding of what needs to get done and knowing the steps needed to get those things done is incredible."*

Joe Pacini  
March, 2018



Co-Designer Rod Hoy

Nagoya Dome Stadium Slide



Co-Designer Rod Hoy

Inflatable Beer Kiosk



From concept to reality, Sealed Air Repairs works with our sister company in Hong Kong, Innovative Yacht Toys Limited, to produce incredible custom inflatables for the live touring events industry. All inflatables are designed to minimize the expense of transport and set up, and are built to be extremely durable in a demanding touring environment.

Contact SAR to discuss your needs.



### Case Study:

SAR was summoned to Shanghai, China to repair the Stage Left Inflatable base of the world touring Cirque Du Soleil show Toruk - First Flight. They diagnosed an extremely fragile vinyl area and were able to repair the surface and seal the leak with their exclusive Double Lock Patching system.

The show went on!



+1-321-505-1512

■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM

■ WWW.SEALEDAIRREPAIRS.COM



Yard time in Florida is a great time to service your inflatables to keep them in top shape. Sealed Air Repairs provides personalized service to Super Yachts moored anywhere in Florida.

- Pick Up and Delivery
- Refurbishment
- Repairs of Leaks
- Torn Lashing Rings
- Torn Handles
- Broken Valves
- Fast Turn-Around
- Contact SAR for Details

***We Fix Fun!***



+1-321-505-1512 ■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM ■ WWW.SEALEDAIRREPAIRS.COM

# Refurbishment - Jet Ski Dock

## Case Study:


The Motor Yacht Amarula Sun Jet Ski Dock is a heavily used inflatable that was in need of a total refurbishment. This is a great example of the Sealed Air Repairs' refurbishing capabilities.



Thorough Cleaning



New Rings & Handles



New Rub Protection



New Top Decking



Finished unit ready to return to service.



New Inflation Valves

*"We are very happy with the repairs and modifications. We just finished a charter and it worked perfectly. Better than when new. Definitely working with you guys from now on. Thank you."*

Best Regards,  
Capt Albert Rodriguez



+1-321-505-1512

■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM

■ WWW.SEALEDAIRREPAIRS.COM




# Refurbishment - Deep Cleaning

Cover Photo



## Case Study:


The client asked SAR if this heavily exposed and dirty inflatable could be salvaged. SAR got to work with their refurbishment team and used special cleaners on the unit, while also evaluating and fixing leaks and other areas in need of repair. While some mildew could not be removed, the results below show how the SAR Deep Cleaning service can save an inflatable that in many cases would be a total loss.



Cover Photo After Deep Cleaning



## Inflatable Cleaning - Routine



### Case Study:

A Sealed Air Repairs annual routine cleaning is the single best service that will extend the life of your inflatable investment. This is also a great time to fix minor wear and tear issues that may present themselves.

Contact SAR to see how they can help.



+1-321-505-1512 ■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM ■ WWW.SEALEDAIRREPAIRS.COM

10

## Yacht Slide Cover Sheets



If you've just acquired a yacht with an existing yacht slide, Sealed Air Repairs can make a new cover sheet with your new logo/name on it. SAR builds many cover sheets each year for renamed yachts, and replacement cover sheets that have worn out from heavy usage.

Contact SAR for details.



Your new cover sheet will fit like a glove onto your existing slide.

Your new cover sheet includes new air steps with a non slip tread surface.



High Quality Screen printing puts your logo or message front and center.



+1-321-505-1512 ■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM ■ WWW.SEALEDAIRREPAIRS.COM

## ***Air Step Bladders***

Don't let a leaky step on your yacht slide impact your guest experience.

FunAir  
Bladder



Boston Valves  
are also available.




Most yacht slides have air inflated steps with bladders inside. We have both FunAir and Freestyle Cruiser replacement bladders in stock.

Sealed Air Repairs ships all of our parts globally using the highest priority shipping services necessary to get the parts to the client in time.

Freestyle Cruiser  
Bladder



Welded in Flapper Valve





## ***Protect your investment !***

Inflatable Water Parks are an expensive investment.

You can extend the life of that investment with the Sealed Air Repairs End-of-Season Maintenance Service.

This service is extensive and involves inspecting all of your inflatables for wear and tear damages that may have occurred during your busy summer season. SAR will wash, inspect and repair each inflatable, including inflation valves, PRVs, handles, D-rings, etc....

For additional fees they can apply protectant and/or store them for the off season.

This is the best way to have a worry free winter because you know your inflatables will go back on the water next summer fully prepped and trouble free.

Contact Sealed Air Repairs for details.



## End-of-Season Maintenance



Each inflatable is inspected and receives the following services as needed:

- Leak Inspection
- Valve Inspection
- Loose Netting Repaired
- Handles Replaced
- Professional Service



*Delaminated Netting*



*Broken Inflation Valve*



*Handle Replacement*



*Busy Shop Floor*



+1-321-505-1512 ■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM ■ WWW.SEALEDAIRREPAIRS.COM




# Inflatable SUP Repair




SAR technicians are experts at repairing all brands of Inflatable Stand Up Paddleboards (iSUP's). They carry a full line of replacement parts and materials for most manufacturers boards. SUP's are difficult to repair due to the high pressure they require to operate. Contact SAR for details.

- Seam Blowouts
- Fin Replacement
- Impact Damage
- Valve Replacement
- Valve Screen Blowouts
- Add Bungee D-Rings
- Replace Bungee Cords

***We Fix Fun!***



Typical Seam Blowout



Massive Seam Blowout

Repaired Seam



+1-321-505-1512

▪ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM

▪ WWW.SEALEDAIRREPAIRS.COM



Sealed Air Repairs sees lots of boards each month come through its shop from many manufacturers. They are experts at diagnosing and repairing iSUP boards with a fast turnaround service.



Shown left is a blowout of the interior mesh netting on the valve backing nut. This mesh keeps loose fibers inside the SUP from blowing into the valve seal and preventing the valve from closing securely. This is a complicated repair that needs professional service.

Call SAR for details if you see this.

"Good afternoon. I used the repaired SUP for the first time today while vacationing in Maine. The board worked great. You guys are the best!!!

I would highly recommend Sealed Air Repairs for any SUP repairs. Extremely knowledgeable, very timely service, great customer service and extremely reasonable in price. I would give them a 5 out of 5 !!!

Thanks, Scott"




Sealed Air Repairs carries a huge inventory of replacement parts for PVC sealed air inflatables of all types and in a variety of colors. Browse the pages ahead to see that we have almost anything you would need to handle a repair in house or in a remote location. If you don't see it, let us know and we either have it, or can get it for you in a short period of time.



- Inflation Valves
- Pressure Relief Valves
- Bravo Inflation Pumps
- D-Rings Plates - All Styles
- Handle Plates
- Vinyl Patches and Swatches
- Vinyl Glue
- Repair Kits
- Professional Tool Kits  
and much more!



## Double Lock Patches



Sealed Air Repairs Double Lock Patches are an exclusive patching system that has a proven success record. When applied properly, these patches ensure that leaky inflatables are sealed the first time by having a lower patch that seals the leak, while the upper patch seals the entire area. Application instructions are included. Available in colors as shown.

Custom sizes are available as needed.



Standard in-stock colors available. Colors will vary from photo. Ask about custom colors.



+1-321-505-1512 ■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM ■ WWW.SEALEDAIRREPAIRS.COM



*HR Style  
Gray*



*HR Style  
Black*



*Bravo  
Push Push*

Inflation valves break for a variety of reasons. They sometimes get crushed, have springs that rust out in sea water, or they get sand and debris in their seal. No matter what happens, Sealed Air Repairs carries a full line of replacement inflation valves in stock, as well as the tools needed to change them out.

## Pressure Relief Valves (PRV)

A properly functioning pressure relief valve (PRV) is critically important to extending the life of most sealed air inflatables.

Air pressure building up on a sunny day needs a way to vent from the inflatable. Improper venting can cause catastrophic damage to the internal structure of the inflatable which in most cases cannot be repaired.

SAR carries the most trusted PRV brand, Leaffield, in-stock in a range of sizes as shown below.



1.30 psi



16.0 psi



2.0 psi



0.5 psi



1.10 psi



1.75 psi



Additional size PRV valves are available. Contact SAR for details.



## Valve Tools and Sand Screens

Get the right tools to maintain your inflatable valves. SAR carries everything you need in stock.



### PRV Installation Tool

Use this tool to remove or tighten your Leaffield pressure relief valve (PRV).

### Leaffield PRV Sand Screen

PRV sand screens keep sand out of the seals of the pressure relief valves. This can help ensure a longer life for the PRV and the inflatable.



PRV Sold Separately



### Inflation Valve Caps - HR style

Replacement inflation valve caps are readily available. Includes cap string as shown below.



### Inflation Valve Tool

This Bravo installation tool is versatile enough to work on all HR style inflation valves and Bravo inflation valves.



Magnehelic


Sealed Air Repairs carries the pressure gauges you need in stock.

Inflatable products should always be operated at the pressure specified by the manufacturer. Under inflated products are generally unsafe to operate, and under inflation may cause serious damage to the inflatable structure.

The Magnehelic shown above is for use on any size constant air inflatable. The pressure is measured in inches of water table.

The Sealed Air Gauge on the right is for measuring sealed air inflatable products from 0.5 psi to a maximum of 15 psi.

SAR carries these gauges in stock at all times and can ship globally.



Sealed Air Gauge

## ***Inflatable Product Straps***

Sealed Air Repairs stocks a variety of commonly used straps for the inflatable industry.

All straps feature #316 Stainless Steel hardware, and utilize various strengths of webbing based on their load requirements.

If you have a need for a custom strap not shown here, call SAR to discuss your needs.



3m/10' Inflatable Roll Strap.



#316 Stainless Steel pull strap



Bridle Strap,  
Sold in set of 4

## Accessory Plates Quality




***Not all accessory plates are created equal!***

Sealed Air Repairs understands that quality parts make a quality product. The example shown above (left) is a D-Ring anchor plate from a well known company. Notice the main plate is a flimsy material and has minimal reinforcement sewing. The SAR plate (right) has 3 layers of base material fused together in a high frequency welding process. Additionally, all metal rings on SAR plates are #316 Stainless Steel that will not rust in salt water, and the rings are sewn in with a triple layer of 2000# nylon webbing sewn into the high frequency welded backing plate. The difference is easy to see, and substantial.



#316 Stainless Steel rings are secured with a triple layer of 2000# webbing sewn into the high frequency fused backing plate.



High frequency welding forms  
a super strong bond.



All SAR Plates have a high  
quality fit and finish.



+1-321-505-1512 ■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM ■ WWW.SEALEDAIRREPAIRS.COM



The Sealed Air Repairs Grab Handles are super strong because they are made from 3 layers of welded 0.9mm reinforced PVC vinyl, and have comfortable hand grips sewn on with high UV rated webbing. All handles are available in a variety of colors as shown.

Custom color schemes are also available upon request.



## Jandle Handles

The Jandle handles are proven climbing grips for water inflatables of all types. These consist of 2 dowel rods built to interlock into each other as they have pressure applied to them. In fact, the more pressure applied, the stronger they become.

Even better, all Jandles are made with a durable non-slip material for a worry free grip for your fingers and toes.

Jandles can replace many of the webbing/dowel rod combo handles found on most of the industry's water inflatables.

Contact SAR for more details.

Jandles are available in 3 colors. Ask SAR about custom colors.



+1-321-505-1512 ■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM ■ WWW.SEALEDAIRREPAIRS.COM



## 1.5" D-Ring Plates



### Available Colors



### Features


- 2 Layers Welded 0.9mm PVC
- 2 Layers 2000# Sewn Nylon Webbing
- #316 Stainless Steel Ring
- 15cm/6" Diameter Plate
- Incredibly Durable



## ***2" Single D-Ring Plates***



The SAR Single 2" D-Ring Plate is made utilizing RF Welding construction. The 3 layers of welded vinyl are fused together to make the strongest plate available.



The #316 Stainless Steel rings are sewn on with 3 layers of 2000# rated nylon webbing and are rust free in ocean water use.



+1-321-505-1512 ■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM ■ WWW.SEALEDAIRREPAIRS.COM

## 2" Double D-Ring Oval Plates

Incredibly  
Strong  
Ring Plates!



Sealed Air Repairs 2" Double D-Ring Oval Plates are super strong because they are made from 3 layers of 0.9mm reinforced PVC material that are welded together. Then the rings are sewn in with 3 layers of 2000# rated nylon webbing material. Finally, #316 Stainless Steel rings ensure a long, rust free life.

Above: All #316 Stainless Steel rings are sewn on with 3 layers of 2000# nylon webbing for ultimate strength.



+1-321-505-1512 ■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM ■ WWW.SEALEDAIRREPAIRS.COM

## 2" Double D-Ring Round Plates



The SAR 2" Double D-Ring Round Plates are made from 3 layers of high quality 0.9mm reinforced PVC that are fused together in a high frequency welding process to make the strongest plate available.



Plates Sizes shown above:  
28cm/11" and 21cm/8"



The #316 Stainless Steel rings are sewn on with 3 layers of 2000 pound rated nylon webbing.



+1-321-505-1512 ■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM ■ WWW.SEALEDAIRREPAIRS.COM

30

## 70cm Lifting Plates



Sealed Air Repairs 70cm Lifting plates are designed for crane use to lift up a yacht slide from the center of the unit. The plates are directional, and are designed without stainless steel rings to prevent scratching the hull of the yacht. These very durable and strong plates are available in a variety of colors to match most current yacht slides.



+1-321-505-1512 ■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM ■ WWW.SEALEDAIRREPAIRS.COM

## 38cm Lifting Plates



The Sealed Air Repairs 38cm Lifting Plates are available to replace damaged lifting plates on each end of a yacht slide.

These ultra strong plates are made with #316 Stainless Steel that will not rust in salt water, and are designed to be lifted in a shearing direction.

Contact SAR for details.



+1-321-505-1512 ■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM ■ WWW.SEALEDAIRREPAIRS.COM

## 2" Triple Ring Anchor Plates



The 2" Triple Ring Anchor Plates from Sealed Air Repairs are incredibly strong.

With a diameter 36cm, they have a large surface area for superior adhesion.

Made with #316 Stainless Steel rings, the main application for this plate is for anchoring, or for attaching climbing ropes.

The Triple Ring Plates are stocked in White, but are available in a variety of colors on special order.







Sealed Air Repairs makes a wide range of custom anchor plates for all types of PVC vinyl applications. From touring entertainment needs, to other custom applications, they have the ability to fabricate custom anchor plates that can fit your unique situation.

Give them a call to discuss your custom anchor plate needs.

Little Pump  
Big Action!



Characteristics:

- Inflate/Deflate Operation
- Output 1700 l/min, 3.6psi, 1000 watts
- Dims - 15cm x 16cm x 17cm, 1.7 kg/ 4 lbs

Equipped:

- Adaptors
- 1.7m high quality hose (PVC), 25mm O.D.
- 3m power wire
- Suitable: inflatable boats, tents, high volume inflatable products
- Built In Sand Filter

Optional:

- 40mm hose and adaptors

Always In-Stock:  
120v/60  
and  
230v/50  
w/Euro Plug

Sealed Air Repairs offers the new Bravo OV10 pump. This little dynamo packs a lot of power in such a small package.

Sealed Air Repairs is proud to be an authorized Bravo Pump dealer. They carry a full range of pumps and accessories in stock.

Ask about custom length hoses and other optional accessories.

## Bravo 2000 Air Pump

Always In-Stock:  
120v/60hz  
and  
230v/50hz  
w/Euro Plug



Sealed Air Repairs is proud to be an authorized Bravo Pump dealer. They carry a full range of pumps and accessories in-stock including the workhorse Bravo 2000. These pumps pack some serious performance!



### Characteristics:

- Inflate/Deflate Operation
- 2 motors as follows:
- Motor 1 up to 1200 l/min, 2.0psi, 1000 watts
- Motor 2 (Booster) increases to 2000 l/min, 5.0psi, 2000 watts
- Both motors protected by thermal-amperic fuse
- Dims - 32cm x 17cm x 26cm, 4.1 kg/ 9 lbs

### Equipped:

- Adaptors
- 1.7m high quality hose (PVC), 25mm diameter
- 3m power wire
- Suitable: inflatable boats, tents, high volume inflatable products

Ask about Hose  
Extensions for the  
Bravo 2000 and  
OV10 pumps.

## Bravo BTP-12 12v Pumps



The effortless way to get 14.5psi in 5 minutes.



- Automatic stop (pressure selected)
- Inflate/deflate
- Analog manometer
- Shows programmed and real pressure
- Easy to clean and replace air filter
- Weight 2.5 kg / 6 lbs.
- Maximum pressure 14.5 psi
- Multiple adaptors
- Fabric carry/storage bag
- 1.7m high quality hose (EPDM), 25mm diameter
- 3m power wire with Gator Clips to 12V battery
- Suitable: Inflatable SUP, boats, kayaks and tents

**BRAVO**<sup>®</sup>  
Authorized Dealer



+1-321-505-1512 ■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM ■ WWW.SEALEDAIRREPAIRS.COM



## Custom Length Hoses

**Fits all:**  
**Bravo 2000 Pumps**  
**Bravo OV10 Pumps**

25m / 82'

**Great for:**

- **Yachts**
- **Water Parks**
- **Hard to Reach Inflation Valves**

Sealed Air Repairs custom fabricates inflation hoses for Bravo pumps in lengths up to 25m/82'. Longer hoses allow operators to keep the electric pump as far as possible from the water when topping off hard to reach valves on water park and yacht inflatables



**BRavo**  
 Authorized Dealer



+1-321-505-1512

■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM

■ WWW.SEALEDAIRREPAIRS.COM

38



Pump sold separately

The Max Flow Inflation Kit is designed for use with the Bravo 2000 or Bravo OV10 pumps.

The kit creates a full 40mm air flow from the pump into the inflatable allowing a faster inflation time with less heat and stress on the pump. The kit includes:

- Max Flow Inflation Valve
- Compression Donut
- Valve Tool
- Max Flow Inflation Hose (80"/2m)



This kit allows any large PVC sealed air inflatable to inflate/deflate faster than other valves. Pump sold separately.

Contact SAR for details.

**BRAVO**<sup>®</sup>  
Authorized Dealer

## Ultimate Inflatable Repair Toolbox



The Ultimate Inflatable Repair Toolbox is fully stocked with all of the tools and accessories needed for large inflatable operators to perform professional repairs on site. This Ultimate Inflatable Repair Toolbox is perfect for water park operators with multiple inflatables, as well as charter yachts that may need professional tools and support to keep their inflatable systems in top condition at all times.

All Toolboxes are customized for specific customers' needs including quantities of materials, colors and replacement parts.

Contact Sealed Air Repairs for details.



+1-321-505-1512

■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM


■ WWW.SEALEDAIRREPAIRS.COM



## Basic Repair Kit



- The Basic Repair Kit\* includes:
- (10) - Double Lock Patch Sets\*\*
  - (3) - 1" Chip Brushes
  - (1) - 4oz Can HH-66 Adhesive
  - (1) - 4" Squeegee
  - (2) - 8oz mixing cups
  - (2) - 8oz cup lids
  - (1) - Set of Instructions



*We Fix Fun!*



\* Quantities listed are accurate. The photo shown is not accurate.

\*\* Each Double Lock Patch Set consists of (1) 3" Patch and (1) 1" Patch. Colors shown are popular, but customer can choose any of our in stock colors. Patch squares of 12" x 12" are also available.



+1-321-505-1512 ■ COPYRIGHT 2018 SEALED AIR REPAIRS, INC

INFO@SEALEDAIRREPAIRS.COM ■ WWW.SEALEDAIRREPAIRS.COM



**SEALED AIR  
REPAIRS**

***We Fix Fun!***



Sealed Air Repairs, Inc.  
8600 Commodity Circle, Suite 160  
Orlando, FL 32819 USA  
+1-321-505-1512  
[info@SealedAirRepairs.com](mailto:info@SealedAirRepairs.com)  
[www.SealedAirRepairs.com](http://www.SealedAirRepairs.com)

Copyright 2018 Sealed Air Repairs, Inc